



## User Manual v1.0

- 1409-1
- NAV-LC1-1H
- NAV-LC1-P1
- NAV-LC1-P1H

# Contents

Mode Change & Operation	3
Activation & Deactivation of Caravan Camera	4
Activation & Deactivation of Picture In Picture (PIP)	4
How to Turn Off Factory Navigation Commands	5
How to Calibrate the Factory Navigation	5
How to turn off Factory Beeps	5
Switching Navigation Sources	6
Premium Navigation & Hema Instructional Videos	6





Figure 1

Activation of video sources:



Long press to activate video sources



Return to OEM Display

Picture In Picture (PIP) mode:



Activation: Long Press of Hang Up button on SWC



Deactivation: Long Press of Hang Up button on SWC

Other Steering Wheel Control buttons:



Phone Answer button: Returns to OEM Phone Screen




Voice Control button: Returns to OEM Voice Screen



Figure 2

Climate Control Buttons



Some of the Climate buttons will show on the drop down when on the AVI or Navigation sources. These are as indicated below:



Buttons that will drop down



Buttons that will not drop down



To access the Climate Menu from the AVI or NAVI, return to the factory screen (using the OEM buttons as shown in Figure 1). E.g. press *Home*, and once on the factory screen, press *Climate* and the screen will appear (Figure 4).




Figure 3



Figure 4



## Activation/Deactivation of Caravan Camera in Reverse

Watch a video of how to activate/deactivate:



### To Activate the Caravan Camera:

- Turn the car on and wait for the system to boot up.
- Put the vehicle in Reverse gear. The system should default to the factory Reverse Camera.
- While in Reverse, long press the NAV button for 4 seconds.
- This should activate the Caravan Camera.

### To Deactivate the Caravan Camera:

- Turn the car on and wait for the system to boot up.
- Put the vehicle in Reverse gear. The system should display the Caravan Camera.
- While in Reverse, long press the NAV button for 4 seconds. This will automatically change back to the Navigation Screen.
- Take the vehicle out of reverse gear, e.g. put in Park.
- Go back to reverse gear and it will default back to the reverse camera.

## Activation/Deactivation of PIP mode for Caravan Camera

### Activation of PIP for single Caravan Camera (AV1 only):



-  Activation: Long Press of Hang Up button on SWC
-  Deactivation: Long Press of Hang Up button on SWC



Figure 9

### Activation of PIP for dual Camera setup (AV1 & AV2):





-  1st Long Press of Hang Up button on SWC:  
Activates AV1
-  2nd Long Press of Hang Up button on SWC:  
Activates AV2
-  3rd Long Press of Hang Up button on SWC:  
Deactivates PIP mode.



Figure 10


## How to Turn Off Factory Navigation Commands

Please note: If Hema only navigation is being installed, they will not require this setting to be changed.




### Step 1:

Access the *Setup* menu and select the *Voice* option.



### Step 2:


Click to turn OFF all the Navigation Voice settings



### Step 3:


Once done, it will look like this.

## How to Calibrate the Factory Navigation




### Step 1:

Access the *Setup* menu and select the *Navigation* option on page 2 of the Setup menu.



### Step 2:

Scroll down the menu until you reach the "Calibration" setting.



### Step 3:

Click on the Calibration button


## How to Turn ON/OFF Factory Beeps

Please note: This setting is for vehicles with the optional I385 Navigation Override module installed.



### Step 1:

Access the *Setup* menu and select the *General* option.




### Step 2:

There you will see the *Beep* setting. Click to the right to change from ON/OFF.

## How to Switch Navigation Sources

### How to access Hema 4WD Nav:




#### Step 1:

The first time you activate the system it will boot to the street nav as default. To switch to Hema, click on the Menu icon.



#### Step 2:


Select the *Exit* button at the top left of the screen.



#### Step 3:

This will open the *Navigation Selection Screen*. You now have 5 seconds to select *4WD Nav*, otherwise it will automatically reboot back to Street Nav. Once selected, Hema 4WD Nav will now begin to load on your screen.

### How to return to Street Nav:



#### Step 1:

Press the *Exit* button in the bottom right of the Hema Menu



#### Step 2:

This will open the *Navigation Selection Screen*. You now have 5 seconds to select *Street*, otherwise it will automatically reboot back to Street Nav. Once selected, Street Nav will now begin to load on your screen.

## Navigation Instructional Videos

### Premium Street Navigation:

We have many videos on how to use our Premium Street Navigation System. Use the link to visit our YouTube Channel and learn more about how to use our Navigation.



### Hema 4WD Nav:

There are many videos on how to use and customise your Hema 4WD Nav. Use the link to visit Hema's Knowledgebase and view Video Tutorials.

